

**DOME ITC- 2271**

<u>Model name</u>	DOME
<u>Frame</u>	Structure in multilayer reinforced with solid wood
<u>Suspensions</u>	Crossed elastic belt
<u>Headrest</u>	Polyurethane CM density 25 KG/M3
<u>back</u>	Polyurethane CM density 25 KG/M3
<u>Armrest</u>	Polyurethane CM density 25 KG/M3
<u>Seat</u>	Polyurethane density 32KG/M3
<u>Feet</u>	Chrome metal legs
<u>Height Legs</u>	14,0 CM.














**DOME    ITC- 2271**

Schematix	Configuration	Width	Height	Depth	Seat height	Vol.	Weight
	SRFST - SMALL RECT FOOTSTOOL	70 (28")	44 (17")	58 (23")	-	0.14 m3 4.94 ft3	7.00 Kg 15.43 lb
	1ELTC - CORNER SOFA LEFT TERMINAL 1 MEC/HEADREST	114 (45")	min: 74 (29") Max: 96 (38")	239 (94")	45 (18")	1.61 m3 56.86 ft3	76.00 Kg 167.55 lb
	1ERTC - CORNER SOFA RIGHT TERMINAL 1 MEC/HEADREST	114 (45")	min: 74 (29") Max: 96 (38")	239 (94")	45 (18")	1.61 m3 56.86 ft3	76.00 Kg 167.55 lb
	2S - 2 SEATER MECHANIC BACKREST	190 (75")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	1.21 m3 42.73 ft3	57.00 Kg 125.66 lb
	2.5S - 2.5 SEATER MECHANIC BACKREST	200 (79")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	1.28 m3 45.20 ft3	60.00 Kg 132.28 lb
	3S - 3 SEATER MECHANIC BACKREST	220 (87")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	1.41 m3 49.79 ft3	66.00 Kg 145.51 lb
	3EL - 3 SEATER LEFT ARM	188 (74")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	1.20 m3 42.38 ft3	56.00 Kg 123.46 lb
	3ER - 3 SEATER RIGHT ARM	188 (74")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	1.20 m3 42.38 ft3	56.00 Kg 123.46 lb

**DOME ITC- 2271**

Schematix	Configuration	Width	Height	Depth	Seat height	Vol.	Weight
	3S2V - 3 SEATER 2 E-RECL MECH-HEAD	220 (87")	min: 74 (29") Max: 96 (38")	min: 108 (43") Max: 158 (62")	45 (18")	1.41 m3 49.79 ft3	82.00 Kg 180.78 lb
	2.5S2V - 2.5 SEATER 2 E-RECL MECH-HEAD	200 (79")	min: 74 (29") Max: 96 (38")	min: 108 (43") Max: 158 (62")	45 (18")	1.28 m3 45.20 ft3	75.00 Kg 165.35 lb
	2S2V - 2 SEATER 2 E-RECL MECH-HEAD	190 (75")	min: 74 (29") Max: 96 (38")	min: 108 (43") Max: 158 (62")	45 (18")	1.21 m3 42.73 ft3	71.00 Kg 156.53 lb
	1EL - 1 END SEATER LEFT	110 (43")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	0.70 m3 24.72 ft3	33.00 Kg 72.75 lb
	1NA - 1 SEATER NO ARM	78 (31")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	0.50 m3 17.66 ft3	23.00 Kg 50.71 lb
	1ER - 1 END SEATER RIGHT	110 (43")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	0.70 m3 24.72 ft3	33.00 Kg 72.75 lb
	2.5EL - 2.5 END SEATER LEFT	168 (66")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	1.07 m3 37.79 ft3	50.00 Kg 110.23 lb
	2.5ER - 2.5 END SEATER RIGHT	168 (66")	min: 74 (29") Max: 96 (38")	108 (43")	45 (18")	1.07 m3 37.79 ft3	50.00 Kg 110.23 lb

**DOME    ITC- 2271**

Schematix	Configuration	Width	Height	Depth	Seat height	Vol.	Weight
 	1EL1V - 1 END SEATER E-RECL LEFT	110 (43")	min: 74 (29") Max: 96 (38")	min: 108 (43") Max: 158 (62")	45 (18")	0.70 m3 24.72 ft3	41.00 Kg 90.39 lb
 	1ER1V - 1 END SEATER E-RECL RIGHT	110 (43")	min: 74 (29") Max: 96 (38")	min: 108 (43") Max: 158 (62")	45 (18")	0.70 m3 24.72 ft3	41.00 Kg 90.39 lb
	SQC - SQUARE CORNER	114 (45")	74 (29")	114 (45")	45 (18")	0.77 m3 27.19 ft3	36.00 Kg 79.37 lb
 	1NA1V - 1 SEATER NO ARM ELECTRIC RECL	78 (31")	min: 74 (29") Max: 96 (38")	min: 108 (43") Max: 158 (62")	45 (18")	0.50 m3 17.66 ft3	29.00 Kg 63.93 lb
 	1EL1VB - 1 END SEATER E-RECL LEFT BATT	110 (43")	min: 74 (29") Max: 96 (38")	min: 108 (43") Max: 158 (62")	45 (18")	0.70 m3 24.72 ft3	41.00 Kg 90.39 lb
 	1ER1VB - 1 END SEATER E-RECL RIGHT BATT	110 (43")	min: 74 (29") Max: 96 (38")	min: 108 (43") Max: 158 (62")	45 (18")	0.70 m3 24.72 ft3	41.00 Kg 90.39 lb